

All previous Catalogues and Price Lists Oancelled.

# Anchor Gates and Fencing



## Anchor Fence Limited

### FACTORY:

Parkes Street, Camperdown.

Telephone, Newtown 606.

### OFFICES:

5 & 6 Lombard Chambers,  
107 Pitt Street, Sydney

(near Hunter Street).

Telephone, City 1870, 2991.



## ❧ INTRODUCTORY ❧

---

**I**N presenting our Anchor Fence to the Public we desire to call attention to the fact that the Anchor Fence Clamps, Uprights, Gates and Tree Guards—in fact, everything appertaining to the business, is manufactured here in Sydney by THE ANCHOR FENCE LIMITED—a purely Colonial Institution. We can safely assert that the Anchor Fence is pre-eminently the best wire fence in the world, basing this assertion on the fact that it has been awarded the first premium at every Exposition where it has been entered in competition with other wire fences ; and, also, that it has received the unqualified endorsement of the most intelligent and experienced fence men in the United States and Canada, and has been adopted on public and private grounds, wherever introduced. It has only to be seen to be appreciated, and an investigation is only necessary to substantiate the claim which we make. It is the only means by which a metal stay can be attached to a wire fence so that it will STAY.

There is not a small, weak or twisted wire used in our fence construction, and the Anchor Clamp makes a rivet-tight joint. Both wires are slightly crimped when the clamp is closed on them, so that there is no possibility of the wires spreading in either direction.

Our System is applicable also for repairing old and neglected fences, whether of barbed or plain wire.


All prices in this catalogue are net cash, f.o.b. rail or steamer, Sydney.

All gates are supplied complete with hinges and catches which are included in the price.





# "Anchor" Switch Catch.

(Patented)



"Plain Gate"



"Netted Gate."

We can safely assert that the "ANCHOR" SWITCH CATCH is pre-eminently the BEST GATE CATCH IN THE WORLD. This catch does away with all springs and is very SIMPLE AND EFFECTIVE. Self closing hinges can be fitted to plain farm gates at an extra cost of 7/6.



# "Anchor" Concrete Re-enforcement.

(Patented).



---

A Marvel of Strength and Simplicity.

THE TIE THAT BINDS.



CLAMP BEFORE USING.




IT NEVER SLIPS AFTER  
CLOSING.


"Anchor" Re-enforcement is the Best and Strongest on the market, and is made of "ANCHOR" CLAMPS SECURELY FASTENED TO HORIZONTAL and CROSS WIRES thus consolidating the strength and rendering the re-enforcement ABSOLUTELY RIGID.



# ANCHOR GATES.



SINGLE AND  
DOUBLE  
STAY GATES.



The Frames are made of  $1\frac{3}{8}$  inch diameter steel tube, the stays of  $1\frac{1}{8}$  inch, the latter being secured to frame by  $\frac{3}{8}$  inch bolts. The horizontal wires consist of two No. 9 galvanised wires tightly cabled together.

Gates for opening less than 5 feet are made without stay, but have vertical braces of No. 9 galvanised wire.

These gates are made rabbit proof by attaching  $42 \times 1\frac{1}{4} \times 17$  gauge galvanised wire netting.

If required with square corners on bottom bar,  $1/6$  extra per gate.

Additional cables,  $1/-$  each.

## PRICE LIST.


3 ft. opening	..	4 ft. high	..	32 lbs. weight	..	Plain round corners,	12/-	..	Rabbit netted square corners,	15/6
3½ ft.	..	4 ft.	..	34 lbs.	..	" "	12/9	..	" "	16/6
4 ft.	..	4 ft.	..	38 lbs.	..	" "	13/6	..	" "	17/6
5 ft.	..	4 ft.	..	42 lbs.	..	" "	15/-	..	" "	19/3
6 ft.	..	4 ft.	..	46 lbs.	..	" "	16 6	..	" "	21/-
7 ft.	..	4 ft.	..	58 lbs.	..	" "	18/-	..	" "	22/9
8 ft.	..	4 ft.	..	60 lbs.	..	" "	19 6	..	" "	24/6
9 ft.	..	4 ft.	..	69 lbs.	..	" "	21/-	..	" "	26/3

Prices include all necessary Fittings.

All Fittings are made of Wrought Iron.



## IRON FRAMED Paddock GATES.



For farms and paddocks this gate possesses many advantages over any other style of gate. Strength and lightness are its main features, and it is a gate that cannot possibly get out of order.

Built of  $1\frac{3}{8}$  inch tubing, braced with  $1\frac{1}{8}$  inch piping and wired with No. 9 hard galvanised steel wire. It is an exceptionally useful gate at an exceptionally low price. Height, 4 ft.

---

**ANCHOR FENCE** admits of posts being set further apart than any other style of Fence.

---

State exact measurement between posts.

### PRICES.

(Including all Hangings and Fastenings).

10 ft.	...	22/6
	(Weight, 70 lbs.)	
11 ft.	...	25/-
	(Weight, 77 lbs.)	
12 ft.	...	27/6
	(Weight, 84 lbs.)	
13 ft.	...	30/-
	(Weight, 91 lbs.)	
14 ft.	...	32/6
	(Weight, 112 lbs.)	

### Extracts from Letters:

"The Anchor Fence I got from you is the best Fence I have used."

(Signed) R. GALE.

"I am very pleased with the Anchor Fence I got from you."

(Signed) JAMES McDERMOTT.

"Superior to any other kind of Fence yet seen by us."

(Signed) H. H. WITHNELL.


"I shall require a lot more Anchor Fence directly."

(Signed)

H. BARRON RODWAY.



## THE M GATE.



These gates are of similar construction as the N Gate, but owing to the increased length, are fitted with an additional diagonal stay. Square corners can be fitted on bottom bar at an extra cost of 1/6 per gate.

### PRICE LIST.

Opening.	Height.	Weight.	Plain round corners.	Rabbit netted square corners.
14 ft.	4 ft.	114 lbs.	32/6	39/-
15 ft.	4 ft.	132 lbs.	45/-	51/9
16 ft.	4 ft.	140 lbs.	47/6	54/6

Netted gates are made full width of opening, and open one way only.

State exact measurement between posts.

The illustration shows the netted gate for which a considerable demand exists. It is made full width of opening, and opens one way only. It is a strong and durable gate, and the price is exceptionally low.


### PRICE LIST.

Opening.	Height.	Weight.	Round Corners.	Square Corners.
10 ft.	4 ft.	78 lbs.	26/6	28/-
11 ft.	4 ft.	86 lbs.	29/3	30/9
12 ft.	4 ft.	93 lbs.	32/-	33/6
13 ft.	4 ft.	102 lbs.	34/9	36/3

Prices include all necessary fittings.


State exact measurement between posts.

## N GATES (RABBIT NETTED).





## DOUBLE PADDOCK GATES



Double Gates are made with single stays. Frames consist of  $1\frac{3}{8}$  inch diameter steel tube, with stays of  $1\frac{1}{8}$  inch secured to frame by  $\frac{3}{8}$  inch bolts.

These Gates can be made rabbit proof by attaching galvanised wire netting  $42 \times 1\frac{1}{4} \times 17$  gauge. Square Corners on bottom bar, **3/-** per pair extra.

### PRICE LIST.

12 ft. opening.	...	4 ft. high.	...	...	Plain, 36/-	...	...	Rabbit netted square corners, 45/- per pair.		
13 ft. "	...	4 ft. "	...	...	" 39/-	...	...	"	"	48/3 "
14 ft. "	...	4 ft. "	...	...	" 42/-	...	...	"	"	51/6 "
15 ft. "	...	4 ft. "	...	...	" 50/-	...	...	"	"	59/9 "
16 ft. "	...	4 ft. "	...	...	" 53/6	...	...	"	"	63/6 "


Prices include all necessary Fittings.

Netted Gates are made full width of opening, and open one way only.

**State exact measurements between posts.**



# SINGLE IRON-FRAMED RABBIT-PROOF GATE



PRICES:									
INCLUDING ALL HANGINGS AND FASTENINGS.									
Opening		£	s.	d.	Opening		£	s.	d.
4 ft.	...	1	0	0	11 ft.	...	2	5	0
5 ft.	.	1	5	0	12 ft.	...	2	10	0
6 ft.	...	1	10	0	13 ft.	...	2	15	0
7 ft.	...	1	12	6	14 ft.	...	3	0	0
8 ft.	...	1	15	0	15 ft.	...	3	5	0
9 ft.	...	1	17	6	16 ft.	...	3	10	0
10 ft.	...	2	0	0					

This plate illustrates the Single Iron-Framed Rabbit-proof Gate. It is built of Tubular Iron,  $1\frac{3}{8}$  inch, with  $1\frac{1}{4}$  inch wire mesh, 14 gauge chain wire. There is a very great demand for both Single and Double Gates of this pattern.

Height, 4 ft. Weight 8 lbs. per lineal foot. An 8 ft. gate should weigh, 64 lbs.

MALCOLM-LAVERTON RAILWAY.

Joseph Timms & Co., Contractors, W.A.,

February 16th, 1905.

The Manager,

THE ANCHOR FENCE CO. OF AUSTRALIA,

Dear Sir,

Fremantle.

After having erected some thousands of miles of Fencing in different States, we can confidently say that the "ANCHOR" FENCE is the best and cheapest we have ever had to deal with.


Yours faithfully

SMITH & TIMMS.

A pair of Clamp Pinchers is all you need for building an "ANCHOR" FENCE — they Crimp both wires simultaneously.



## DOUBLE IRON-FRAMED RABBIT-PROOF GATE.



This gate is similar in construction to the Iron-Framed Rabbit-Proof Gate shewn on page 7.

The fittings on all ANCHOR GATES are of WROUGHT IRON.

The frame of this particular gate is  $1\frac{3}{8}$  in. steel tubing with  $1\frac{1}{4}$  in. mesh x 14 gauge link wire. Height, 4 ft.; Weight, 8 lb. per lineal foot. A pair of 12 ft. gates would weigh 96 lbs.

### PRICES (with Hangings and Fastenings).

			£	s.	d.	
12 ft. opening	-	=	2	14	0	per pair.
13 „ „	-	=	2	18	0	„
14 „ „	-	=	3	0	0	„
15 „ „	-	=	3	5	0	„
16 „ „	-	=	3	10	0	„
17 „ „	-	=	3	15	0	„
18 „ „	-	=	4	0	0	„

---

When once erected an ANCHOR FENCE needs no repair. It takes care of itself.



## “ANCHOR” RESIDENTIAL DOUBLE SCROLL GATES.

These gates are made in sizes as per list, but can be made any size required to order

All prices are for gates complete with hinges and fastenings

These gates are made of  $1\frac{3}{8}$  in. diameter steel tubing with No. 8 galvanised wire for inside work fastened with our steel clamp



Standard height, 4 ft.

	£	s.	d.
8 ft. wide	2	15	0
9 ft. „	3	0	0
10 ft. „	3	5	0
11 ft. „	3	10	0
12 ft. „	3	15	0


State exact distance between posts.



## “ANCHOR” ORNAMENTAL CHAIN-WIRE GATE.

The frame of this gate consists of  $1\frac{3}{8}$  in. diameter steel tube with  $1\frac{1}{2}$  in. wire mesh x 14 g. chain wire. Pairs of gates after this design can be supplied at a cost of 3d. per foot extra.

When ordering state distance between posts.



Standard height, 4 feet


30 in. wide	...	...	18,6
3 ft. „	...	...	21/6
3 ft. 6 in wide	...		24 6
4 ft. wide	.		25 6
5 ft. „	.	...	32/-
6 ft. „	.		34 6
7 ft. „	.		39 6
8 ft „	.	..	44 6
9 ft. „	..		50
10 ft. „	..	...	55



## “ANCHOR” ORNAMENTAL DOUBLE SCROLL RESIDENTIAL GATE.

These gates are made of  $1\frac{1}{8}$  in. steel tube with ornamental scroll work of wrought iron. Steel spring and wrought iron hinges. If different catch required to that shewn in picture state when ordering. Wires of No. 8 galvanised wire clamped with galvanised steel clamp.

Always state distance between posts.



Standard height : 4 ft.

3 ft. wide	...	...	25 -
3 ft. 6 in wide	...	...	27/6
4 ft. wide	...	...	30/-
5 ft. „	.	.	35 -
6 ft. „	...	...	40 -
7 ft. „	...	...	45/-
8 ft. „	..	.	50
9 ft. „	...	...	55/-
10 ft. „	...	...	60/-




## IRON RESIDENCE GATES (Patented.)

### PRICES.

(INCLUDING ALL HANGINGS AND  
FASTENINGS.)

			£	s.	d.
3 ft.	Opening	...	1	0	0
3 "	6 in. "	...	1	2	6
4 "	"	...	1	5	0
5 "	"	...	1	10	0
6 "	"	...	1	15	0
7 "	"	...	2	0	0
8 "	"	...	2	5	0
9 "	"	...	2	10	0
10 "	"	...	2	15	0
11 "	"	...	3	0	0
12 "	"	...	3	5	0



Like the Double Iron Residential Gates, when an Ornamental ANCHOR FENCE is used the gate is made in a design to correspond with the fence. This style of gate is very popular as a carriage entrance for suburban residences.

Built of Iron Tubing,  $1\frac{1}{8}$  in. outside diameter; filled with Wire Mesh, 6 in. x 3 in.; and secured with ANCHOR CLAMPS. Height, 4 ft.; Weight, 9 lbs. per lineal foot. An 8 ft. Gate would weigh 72 lbs. It is a gate which sets off and gives an imposing appearance to either a Picket or a plain Paling Fence.

State exact measurement between posts.


---

You don't know how good or how cheap ANCHOR FENCE is until you have erected some. It is the cheapest and most useful Fence that money can buy.

---



## SINGLE IRON RESIDENCE GATES (Patented).



### PRICES (including all Hangings and Fastenings).

				£	s.	d.
3 ft.	Opening	-	-	1	0	0
3 ft. 6 in.	„	-	-	1	2	6
4 ft.	„	-	-	1	5	0
5 ft.	„	-	-	1	10	0

### MR. FISHER THWAITE'S OPINION OF ANCHOR FENCE.

"Newlands," Roma, Queensland,  
3rd March, 1906.

THE ANCHOR FENCE CO. OF AUSTRALIA,  
Brisbane

Dear Sirs,

I wish you to forward me 700 of your Wire Droppers, 42 inches in length, and 3000 Clamps. Please find cheque for £4 8s. 6d for same enclosed. I had some from you nearly two years ago. I find they make a much better fence than the ordinary fence, and are very much cheaper. Please forward to Roma railway station.

Yours faithfully,


(Signed) FISHER THWAITE.

Like the Double, this Gate is also made in a design to correspond with the fence. It is built of Steel Gate Tubing,  $1\frac{1}{8}$  inch outside diameter; filled with wire mesh 6 in. x 3 in.

Weight - 9 lbs. per lineal foot.



## DOUBLE IRON RESIDENTIAL GATES (Patented).



### PRICES

(Including all Hangings and Fastenings).

			£	s	d.
8 ft. Opening	...	...	2	5	0
9 ft. „	...	...	2	10	0
10 ft. „	...	...	2	15	0
11 ft. „	...	...	3	0	0
12 ft. „	...	...	3	5	0

Built of Iron Tubing,  $1\frac{1}{8}$  in. outside diameter; filled with 6 in. x 3 in. Wire Mesh, secured with ANCHOR CLAMPS.

Height, 4 ft.; Weight, 9 lbs. per lineal foot. An 8 ft. Gate would weigh 72 lbs.

Where an ornamental ANCHOR FENCE is used, this gate is designed to correspond with the fence, but the gate is massive in appearance and will set off any fence.

---



---

ANCHOR FENCE is built to suit any property requiring a Fence, from the Cottage Railing to the miles of country occupied by the Pastoralist.

---




---

**ANCHOR FENCE LTD., Lombard Chambers, 107 Pitt Street, Sydney.**



## ANCHOR FENCE SHEEP HURDLES (Patented).



The Strongest, Lightest, Most Useful, and yet  
Cheapest Hurdles made.

---

Manufactured by  
**THE ANCHOR FENCE LIMITED,**  
Lombard Chambers,  
107 Pitt Street, Sydney.

---

ANCHOR FENCE SHEEP HURDLES  
are  
12 feet long and 3 feet 9 inches high.

The frames are made of specially selected Fir, treated with AVENARIUS, the best wood-preserving oil known, and making the wood proof against the attacks of white ants or other timber devouring insects. The wire is No. 8 hard galvanised steel wire, secured with ANCHOR CLAMPS.

ANCHOR FENCE HURDLES are being used by sheep owners all over Australasia.

A few ANCHOR FENCE HURDLES are the handiest things on either farm or station.




# THE STRENGTH OF ANCHOR WIRE-BOUND GATES (Patented).

This illustration will give you an idea of the strength and rigidity of

## ANCHOR WIRE-BOUND GATES.

It is made from a photograph taken of a gate a year old,



with three heavy men swinging on it when open. Minute measurements were taken and it was shown that notwithstanding the heavy weight on the swinging gate the sagging did not exceed one inch.


Specially selected Fir in the frames, No. 8 hard galvanised steel wire, locked to the top and bottom ends, braced at every intersection with ANCHOR CLAMPS, are the materials that go to make ANCHOR GATES the strongest, lightest, and yet most durable gates obtainable

---

**ANCHOR FENCE, LIMITED,**  
**LOMBARD CHAMBERS,**  
**107 PITT STREET, SYDNEY.**



## WOOD-FRAMED WIRE-BOUND GATES (Patented).



This illustration represents in miniature one of our Wood-Framed Wire-Bound Double Gates. The frames are made of 3 in. x 3 in. specially selected Fir, painted to any color, or made White Ant proof with AVENARIUS. The wire mesh is 6 in. x 3 in. made perfectly rigid with ANCHOR CLAMPS, No. 8 hard galvanized steel wire being used throughout.

Height, 4 ft. 3 in.; Weight, 10 lbs. per lineal foot.

A few ANCHOR CLAMPS will make that straggling fence of yours as good as new.

## PRICES ON APPLICATION.

Nanima House, Wellington.

THE ANCHOR FENCE CO. OF AUSTRALIA.

Dear Sirs,

I have received the Anchor Fence Gates and am well satisfied with them. I consider the Anchor fencing and gates supply a want long felt in this State. I have had great difficulties with gates, the extremely dry, hot weather seems to perish all kinds of wooden gates in a very short time.

The Anchor Fence Gates should last many years, and in that way should in the long run be economical for general use. They are very light and very strong, and are natty and neat. In the latter respect, I consider them the best I can get for use, at a reasonable cost, round my private residence.


Yours faithfully,

CHARLES H. BARTON



## Wood-Framed Wire-Bound Rabbit-Proof Gates (Patented).

This represents our RABBIT-PROOF GATE—the Best on the Market  
Frames, 3 in. x 3 in. Specially selected Fir, Wire-bound, with Wire Netting,  
42 in. x 1½ in. x 17 gauge, attached.



Hinges and Fastenings arranged in such  
manner that no space exists between  
gate and posts.

Painted any colour, or treated with  
AVENARIUS.

Weight, 10 lbs. per lineal foot. A 6 ft.  
Gate weighs 60 lbs.



Main Camp, Myrtle Creek, N.S.W.

THE ANCHOR FENCE CO. OF AUSTRALIA, Sydney.

Dear Sirs, . . . . I found that I had a few Clamps over after finishing my fence ; they  
turned out much better than I at first thought. The fence erected by me is generally pro-  
nounced to be the best fence ever seen, and this by experts. I hope it will stand the test of time.  
I am almost sorry I have no more fencing to do. I may add that people come many miles to look  
at my Anchor Fence, as much as 25 miles.

Faithfully yours, CUNNINGHAM HENDERSON.

**Prices on  
Application.**

The Fittings in all ANCHOR FENCE GATES are made of WROUGHT IRON, and are unbreakable.




## FARM AND CATTLE FENCE.

Five strands 10 inches apart.

42 inch Droppers 48 inches apart.

Posts 33 feet apart.





If a heavy tree should fall across an Anchor Fence — the fence will not be injured. Simply remove the tree and a couple of turns on the Ratchet, and the fence will be the same as ever.

## CATTLE FENCE.

Four strands 12 inches apart.


38 inch Droppers 48 inches apart.

Posts 33 feet apart.





## THE RATCHET.




Price, 6d. each.

In all our Anchor Fences we draw each wire tight with this little Ratchet. It is very simple. It takes care of the contraction in the wire automatically, or should any great strain come on the fence (such as a falling tree) the ratchets will give before the wires break, and by tightening the ratchets with a wrench the fence is easily brought back into place and the fence is not harmed in the least.

**An important Feature** in Anchor Fence Construction is the facility with which Wire Netting can be secured by means of the Anchor Clamp at the same time and with identically the same operation as that of fixing the Anchor Stays. This feature is impracticable in any other style of Wire Fence. **Do not lose sight of this fact.**

For Illustration  
of  
RATCHET IN  
USE

See Page 31.



### ANCHOR CRIMPED DROPPER. PRICE LIST.

No. 6 Gauge Galvanised Steel Droppers.				No. 4 Gauge Galvanised Steel Droppers.			
Length.		Price per 100.		Length.		Price per 100.	
34 in.	...	7/-		34 in.	...	10/6	
36 in.	...	7/5		36 in.	...	11/3	
38 in.	...	7/10		38 in.	...	11/9	
40 in.	...	8/3		40 in.	...	12/3	
42 in.	...	8/8		42 in.	...	13/-	
44 in.	...	9/-		44 in.	...	13/6	
46 in.	...	9/6		46 in.	...	14/-	
48 in.	...	10/-		48 in.	...	14/9	
50 in.	...	10/3		50 in.	...	15/3	
54 in.	...	11/-		54 in.	...	16/6	

### ANCHOR PLAIN DROPPER No. 6. F.O.B. SYDNEY.

Length,		Price per 100,		17 lbs. 8 ozs.	
22 in.	...	3 9	...	17	...
24 in.	...	4/1	...	19	...
26 in.	...	4/5	...	20	...
28 in.	...	4/9	...	22	...
30 in.	...	5/1	...	23	...
32 in.	...	5/5	...	25	...
34 in.	...	5/9	...	26	...
36 in.	...	6/1	...	28	...
38 in.	...	6/5	...	29	...
40 in.	...	6/9	...	31	...
42 in.	...	7/1	...	32	...
44 in.	...	7/5	...	34	...
46 in.	...	7/9	...	35	...
48 in.	...	8/1	...	37	...

**"Anchor" Clamps with Crimped Droppers--a vast improvement on old methods.**




THE TIE THAT BINDS.




CLAMP BEFORE USING.

## The Anchor Clamp.



CLAMP PINCHERS.



IT NEVER SLIPS AFTER CLOSING.

This little tool "Clamp Pinchers," is all you need for building the Anchor Fence. They will build 100 miles of fence without repairing. Owners of fence should all have them. They are very simple in their application, and make an absolutely rigid joint; one that will not slip either way, as it crimps both wires simultaneously.

---

## THE ANCHOR FENCE

Is formed of a combination of wires strained in the ordinary manner and spaced as desired, to which uprights, made from the same kind of wire, are secured by means of the Anchor Clamp. These clamps are smaller than a half crown, but are of such wonderful strength, and so securely fastened to both the horizontal and upright wires that man or beast cannot break the fence down.

**The Anchor Fence** will admit of posts being set further apart than in any other system of fence construction.

**The Anchor Fence** saves the cost of three-fifths to four fifths of the number of posts usually employed, and consequently saves a proportionate amount of labour for digging post holes.

**The Anchor Fence** is very light. The uprights are securely anchored to each of the wires, which divide the strain equally between them, thus reducing the impact to an absolute minimum.

**The Anchor Fence.** Only one special tool is required in the construction of this fence, called the Anchor Clamp Pinchers, which secures the clamps and crimps both wires in one act and with one motion, and makes a perfectly rigid joint that will not slip either way.




# “ANCHOR” ORNAMENTAL FENCING.

These designs are for Wire Work in Rolls or Panels (as required) ready to be set up on ground. Posts should be erected about ten feet apart. Our Ornamental Fences are handsome, strong, and durable, and can be made any height or length to suit purchaser. Posts are not included in these designs.

We are prepared to give Special Quotations for the supply and erection of fence complete—*i.e.* posts, piping, wirework, and erection.

## ORNAMENTAL FENCE—STYLE B.

Mesh 3 inches by 12 inches, or 3 inches by 15 inches.




Number of Horizontal Bars:—3.

Weight per 100 feet:—30 inches—116 lbs. ; 36 inches—133 lbs.



## ORNAMENTAL FENCE—STYLE C.


Mesh 6 inches by 6 inches.



Five Horizontal Rods : Weight per 100 ft. 30 in. high 92 lbs. Six Horizontal Rods : Weight per 100 ft. 36 in. high — 109 lbs.  
 Seven Horizontal Rods : Weight per 100 feet—42 in. high—126 lbs.

## ORNAMENTAL FENCE -STYLE D.

Mesh at Top, 6 inches by 6 inches; at Bottom, 3 inches by 6 inches.




Five Horizontal Rods : Weight per 100 ft.—30 in. high—118 lbs. Six Horizontal Rods : Weight per 100 ft. 36 in. high—150 lbs.  
 Seven Horizontal Rods : Weight per 100 ft.—42 in. high—167 lbs.



## ORNAMENTAL FENCE—STYLE E.


Mesh at Top, 6 inches by 6 inches, and 3 inches by 6 inches; at Bottom, 3 inches by 6 inches.



Five Horizontal Rods : Weight per 100 ft. — 30 in. high 141 lbs. Six Horizontal Rods : Weight per 100 ft. — 36 in. high 170 lbs.  
Seven Horizontal Rods : Weight per 100 ft. — 42 in. high — 197 lbs.

## ORNAMENTAL FENCE—STYLE G.

Mesh 3 inches by 6 inches



Five Horizontal Rods : Weight per 100 ft — 30 in. high 161 lbs. Six Horizontal Rods : Weight per 100 ft — 36 in. high 183 lbs.  
Seven Horizontal Rods : Weight per 100 ft. — 42 in. high — 208 lbs.





VILLA AT HABERFIELD, SHEWING "ANCHOR" RESIDENTIAL FENCE.





RESIDENCE AT AUBURN, FENCED WITH "ANCHOR" FENCE.





COTTAGE AT CAMPERDOWN :  
Shewing "Anchor" Fence Factory at rear.  
27





DEPARTMENT OF ATTORNEY-GENERAL AND JUSTICE, SYDNEY  
28



---

A large number of the houses in the Garden Suburb of Sydney are fenced with Anchor Fencing, which adds greatly to the attractiveness of the place.

---

Prices on application.

---



HABERFIELD OFFICE, HABERFIELD.





**Style E.**

"ANCHOR" FENCING AT W. A. GILDER, ESQ.'S RESIDENCE PYMBLE.



# ANCHOR FENCE, LIMITED.

---




ILLUSTRATION OF  
RATCHET IN USE,

DESCRIBED ON PAGE 20.

---


LOMBARD CHAMBERS, 107 PITT STREET, SYDNEY.



You don't know how good or how cheap

**ANCHOR FENCE**

is until you have erected some.




It is the Cheapest and most Useful Fence  
that money can buy.



## REVISED PRICES.

F.O.B. SYDNEY.

Anchor Clamps (Black) ...	12/- per 1000	...	Weight, 16½ lbs.
Anchor Clamps (Galvanised) ...	14/6 „	...	„ 17 lbs.
Automatic Ratchets ...	6/- per doz.	...	„ 12 lbs.
Automatic Ratchets (Galv.) ...	8/- „	...	„ 13 lbs.
Anchor Clamp Pinchers ...	20/- each	...	„ 7 lbs.




The  
RATCHET  
in use.

## Standard Railway Fence adopted by N.S.W. Government.

| 6 in. | 6 in. | 8 in. | 10 in. | 12 in. |

Style No. 4.



6 Wire Fence.



**Anchor Fence Limited**  
**Lombard Chambers**  
**Sydney**

F. Clark, Printer, 3 Rowe Street, Sydney. Telephone, Central 2813.